STEREO AMPLIFIER

SA-800

UNIT \ ROUND LABEL	FVW	KUW	KCW			
FM FRONT END						
FM IF UNIT						
MPX UNIT						
AM TUNER UNIT						
MUTING UNIT						
HEAD AMP UNIT	W21−007	W21−007	W21−007			
CONTROL AMP UNIT	W15−050	W15−050	W15−050			
MAIN AMP UNIT	W23−009	W23−009	W23−009			
POWER SUPPLY UNIT	W16−033	W16−033	W16−033			
SWITCH UNIT						
SWITCH UNIT						
SWITCH UNIT						
VR UNIT	AWX−015	AWX−015	AWX−015			
CONTROL UNIT						
MIC AMP UNIT						
FILTER UNIT	W28−006	W28−006	W28−006			
REVERBE UNIT						
PROTECTION UNIT	W28−007	W28−007	W28−007			



SA-800/FVW



SWITCHES

S_1	INPUT SELECTOR	1. MIC 2. PHONO 1 3. PHONO 2 4. TUNER 5. AUX 1 6. AUX 2	
S_2	PHONO 2 SELECTOR	1. MM	2. MC
S_3	MODE SELECTOR	1. REV 2. NORM 3. L 4. R 5. L+R	
S_4	TAPE MONITOR 1 SW	1. OFF	2. ON
S_5	TAPE MONITOR 2 SW	1. OFF	2. ON
S_6	LOUDNESS SW	1. OFF	2. ON
S_7	BASS CONTROL	-9dB~+12dB (at 100Hz)	
S_8	TREBLE CONTROL	-12dB~+9dB (at 10kHz)	
S_9	LOW FILTER SW	1. OFF	2. ON
S_{10}	HIGH FILTER SW	1. OFF	2. ON
S_{11}	MUTING SW	1. OFF	2. -20dB
S_{12}	PRE & MAIN SW	1. INTERCOUPLED	2. SEPARATED
S_{13}	OUTPUT SELECTOR	1. OFF 2. A 3. B 4. A+B	
S_{14}	POWER SW	1. OFF	2. ON
S_{15}	RELAY	1. OFF	2. ON

POTENTIO METERS
VR_1 BALANCE CONTROL

RESISTORS
±10% TOLERANCE P-TYPE CARBON ¼ WATT
NON MARK: OHM K: KILOHM M: MEGOHM

CAPACITORS
NON MARK: MICRO FARAD P: PICO FARAD

V: SIGNAL VOLTAGE AT 40W/8Ω (at 1kHz)
(V): RIPPLE VOLTAGE
V: NO INPUT SIGNAL DC VOLTAGE
NO INPUT SIGNAL DC CURRENT

ITEM NO.	VACANT NO.
R_1~R_{48}	$R_{2,42}$
C_1~C_{40}	

SA-800 for KUW, KCW model



HEAD AMP UNIT

HEAD AMP UNIT
W21-007



CONTROL AMP UNIT

CONTROL AMP UNIT
W15-050



MAIN AMP UNIT

MAIN AMP UNIT
W23-009



POWER SUPPLY UNIT

POWER SUPPLY UNIT
W16-033



VOLUME UNIT

VOLUME UNIT
AWX-015



PROTECTOR UNIT

PROTECTOR UNIT
W28-007



FILTER UNIT

FILTER UNIT

W28-006

